

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 1                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : TASKI JONTEC COMBI & CARE

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Floor cleaner  
Detergent

Recommended restrictions on use : For professional use only  
Uses other than those identified are not recommended

### Sector-specific worker exposure

AISE\_SWED\_PW\_8a\_1

AISE\_SWED\_PW\_10\_1

AISE\_SWED\_PW\_4\_1

### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor  
4, 3621ZB Breukelen, The Netherlands  
Diversey Ltd - Weston Favell Centre,  
Northampton NN3 8PD

United Kingdom

#### E-mail address of person responsible for the SDS:

HazardCommunication@solenis.com

#### Product Information

01604 405311

customerservice.uk@solenis.com,  
Diversey.com

### 1.4 Emergency telephone

Seek medical advice (show the label or safety data sheet where possible), For medical or environmental emergency only: call 0800 052 0185

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 2                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Eye irritation, Category 2

H319: Causes serious eye irritation.

### 2.2 Label elements

**Labeling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms



Signal Word

: Warning

Hazard Statements

: H319

Causes serious eye irritation.

#### Additional Labeling

EUH208

Contains 1,2-benzisothiazol-3(2H)-one, mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name                               | CAS-No.<br>EC-No.<br>Registration number | Classification                                                                           | Concentration<br>(% w/w) |
|---------------------------------------------|------------------------------------------|------------------------------------------------------------------------------------------|--------------------------|
| Sulfonic acids, C10-18-alkane, sodium salts | 68037-49-0<br>268-213-3                  | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chronic 3; H412 | >= 1 - < 2,5             |

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 3                   |
| SAFETY DATA SHEET                                                                 | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

|                                                                                                                                 |                         |                                                                                                                                                                                                                                                                                                                                      |                     |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
|                                                                                                                                 |                         | specific concentration limit<br>Eye Irrit. 2; H319<br>> 10 - 15 %<br>Skin Irrit. 2; H315<br>> 10 - 15 %<br>Eye Dam. 1; H318<br>> 15 %<br>Acute Tox. 4; H302<br>>= 60 %                                                                                                                                                               |                     |
| Sulfonic acids, C14-17-sec-alkane, sodium salts                                                                                 | 97489-15-1<br>307-055-2 | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Acute 1; H400<br>Aquatic Chronic 3; H412<br><hr/> M-Factor (Acute aquatic toxicity):<br>1                                                                                                                                                                   | >= 1 - < 2,5        |
| Alkyl alcohol alkoxylate                                                                                                        | 111905-53-4             | Acute Tox. 4; H302<br>Eye Irrit. 2; H319<br>Aquatic Chronic 3; H412                                                                                                                                                                                                                                                                  | >= 1 - < 2,5        |
| 1,2-benzisothiazol-3(2H)-one                                                                                                    | 2634-33-5<br>220-120-9  | Acute Tox. 4; H302<br>Acute Tox. 2; H330<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br><hr/> M-Factor (Acute aquatic toxicity):<br>1<br>M-Factor (Chronic aquatic toxicity): 1<br><hr/> specific concentration limit<br>Skin Sens. 1A; H317<br>>= 0,036 % | >= 0,0025 - < 0,025 |
| mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9              | Acute Tox. 3; H301<br>Acute Tox. 2; H330<br>Acute Tox. 2; H310<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410<br>EUH071<br><hr/> M-Factor (Acute aquatic toxicity):<br>100                                                                                    | >= 0 - < 0,0002     |

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 4                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

|  |  |                                                                                                                                                                                                                                                                        |  |
|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | M-Factor (Chronic aquatic toxicity): 100<br><br>specific concentration limit<br>Skin Corr. 1C; H314<br>>= 0,6 %<br>Skin Irrit. 2; H315<br>0,06 - < 0,6 %<br>Eye Irrit. 2; H319<br>0,06 - < 0,6 %<br>Skin Sens. 1A; H317<br>>= 0,0015 %<br>Eye Dam. 1; H318<br>>= 0,6 % |  |
|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

|                         |                                                                                                                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : Do not leave the victim unattended.                                                                                                                                           |
| If inhaled              | : If breathed in, move person into fresh air.<br>If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                  |
| In case of skin contact | : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.                                                  |
| In case of eye contact  | : Remove contact lenses.<br>Protect unharmed eye.<br>If eye irritation persists, consult a specialist.                                                                          |
| If swallowed            | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |

### 4.2 Most important symptoms and effects, both acute and delayed

|       |                                  |
|-------|----------------------------------|
| Risks | : Causes serious eye irritation. |
|-------|----------------------------------|

### 4.3 Indication of any immediate medical attention and special treatment needed

|           |                          |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 5                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Standard procedure for chemical fires.  
 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.  
 Comply with all applicable federal, state, and local regulations.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
 If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).  
 Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 6                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

For further information see Section 8 and Section 13 of the safety data sheet.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : General industrial hygiene practice. No special requirements under normal use conditions

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.
- Advice on common storage : No materials to be especially mentioned.
- Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

| Substance name                                                                            | End Use   | Routes of exposure | Potential health effects   | Value             |
|-------------------------------------------------------------------------------------------|-----------|--------------------|----------------------------|-------------------|
| Sulfonic acids, C10-18-alkane, sodium salts, Sulfonic acids, C10-C18 alkane, sodium salts | Consumers | Dermal             | Long-term systemic effects | 3,57 mg/kg bw/day |
|                                                                                           | Consumers | Dermal             | Acute local effects        | 2,8 mg/cm2        |
|                                                                                           | Workers   | Dermal             | Acute local effects        | 2,8 mg/cm2        |
|                                                                                           | Workers   | Dermal             | Long-term systemic effects | 5 mg/kg bw/day    |
|                                                                                           | Workers   | Inhalation         | Long-term systemic effects | 35 mg/m3          |
|                                                                                           | Consumers | Dermal             | Long-term local            | 2,8 mg/cm2        |

|                                                                                                                        |                           |
|------------------------------------------------------------------------------------------------------------------------|---------------------------|
|  <b>Diversey</b><br>A SOLENIS COMPANY | Page: 7                   |
| <b>SAFETY DATA SHEET</b>                                                                                               | Revision Date: 29.05.2026 |
|                                                                                                                        | Print Date: 29.05.2026    |
|                                                                                                                        | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                                                              | Version: 1.0              |
| 9292426                                                                                                                |                           |

|                                                  |           |            | effects                    |                        |
|--------------------------------------------------|-----------|------------|----------------------------|------------------------|
|                                                  | Workers   | Dermal     | Long-term local effects    | 2,8 mg/cm <sup>2</sup> |
|                                                  | Consumers | Inhalation | Long-term systemic effects | 12,4 mg/m <sup>3</sup> |
|                                                  | Consumers | Oral       | Long-term systemic effects | 7,1 mg/kg bw/day       |
| sulphonic acids, C14-17-sec-alkane, sodium salts | Workers   | Dermal     | Local, short-term          | 2,8 mg/cm <sup>2</sup> |
|                                                  | Consumers | Dermal     | Long-term systemic effects | 3,57 mg/kg             |
|                                                  | Workers   | Inhalation | Long-term systemic effects | 35 mg/m <sup>3</sup>   |
|                                                  | Workers   | Dermal     | Long-term local effects    | 2,8 mg/cm <sup>2</sup> |
|                                                  | Consumers | Dermal     | Long-term local effects    | 2,8 mg/cm <sup>2</sup> |
|                                                  | Workers   | Dermal     | Long-term systemic effects | 5 mg/kg                |
|                                                  | Consumers | Inhalation | Long-term systemic effects | 12,4 mg/m <sup>3</sup> |
|                                                  | Consumers | Oral       | Long-term systemic effects | 7,1 mg/kg              |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

| Substance name                                                                            | Environmental Compartment | Value                         |
|-------------------------------------------------------------------------------------------|---------------------------|-------------------------------|
| Sulfonic acids, C10-18-alkane, sodium salts, Sulfonic acids, C10-C18 alkane, sodium salts | Fresh water               | 0,04 mg/l                     |
|                                                                                           | Sea water                 | 0,004 mg/l                    |
|                                                                                           | Intermittent use/release  | 0,06 mg/l                     |
|                                                                                           | Fresh water sediment      | 9,4 mg/kg dry weight (d.w.)   |
|                                                                                           | Sea sediment              | 0,094 mg/kg dry weight (d.w.) |
|                                                                                           | Soil                      | 9,4 mg/kg dry weight (d.w.)   |
| sulphonic acids, C14-17-sec-alkane, sodium salts                                          | Sewage treatment plant    | 600 mg/l                      |
|                                                                                           | Sewage treatment plant    | 600 mg/l                      |
|                                                                                           | Sea sediment              | 0,94 mg/kg                    |
|                                                                                           | Soil                      | 9,4 mg/kg                     |
|                                                                                           | Fresh water sediment      | 9,4 mg/kg                     |
|                                                                                           | Fresh water               | 0,04 mg/l                     |
| 1,2-benzisothiazol-3(2H)-one                                                              | Sea water                 | 0,004 mg/l                    |
|                                                                                           | Intermittent use/release  | 0,06 mg/l                     |
|                                                                                           | Fresh water               | 0,0026 mg/l                   |
|                                                                                           | Sea water                 | 0,00026 mg/l                  |
|                                                                                           | Sewage treatment plant    | 0,055 mg/l                    |
|                                                                                           |                           |                               |

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 8                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

|  |                      |             |
|--|----------------------|-------------|
|  | Fresh water sediment | 0,0132 mg/l |
|  | Soil                 | 0,33 mg/l   |

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

### Recommended safety measures for handling the undiluted product:

#### Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Appropriate organisational controls:** : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### REACH use scenarios considered for the undiluted product:

|                              | SWED- Sector Specific Worker Exposure Description | LCS | PROC   | Duration (min) | ERC   |
|------------------------------|---------------------------------------------------|-----|--------|----------------|-------|
| Manual transfer and dilution | AISE_SWED_P W_8a_1                                | PW  | PROC8a | 60 min         | ERC8a |

#### Personal protective equipment

Eye protection (EN ISO 16321) : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Safety glasses or goggles (EN 16321)  
The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur

Hand protection (EN ISO 374)

Remarks : Wear resistant gloves (consult your safety equipment supplier).  
Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 9                   |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

Material: butyl rubber  
Penetration time:  $\geq 480$  min  
Material thickness:  $\geq 0.7$  mm

Suggested gloves for protection against splashes:  
Material: nitrile rubber  
Penetration time:  $\geq 30$  min  
Material thickness:  $\geq 0.4$  mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Skin and body protection (EN 14605) : Wear as appropriate:  
Safety shoes

Respiratory protection (EN 136, EN 143, EN 14387) : No personal respiratory protective equipment normally required.

Protective measures : No special requirements under normal use conditions

#### **Recommended safety measures for handling the diluted product:**

Maximum recommended use concentration (% w/w): 5,045 %

#### **Engineering measures**

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Appropriate organisational controls:** : Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### **REACH use scenarios considered for the undiluted product:**

|                                                    | SWED- Sector Specific Worker Exposure Description | LCS | PROC   | Duration (min) | ERC   |
|----------------------------------------------------|---------------------------------------------------|-----|--------|----------------|-------|
| Manual application by brushing, wiping or mopping  | AISE_SWED_P W_10_1                                | PW  | PROC10 | 480 min        | ERC8a |
| Automatic application in a dedicated closed system | AISE_SWED_P W_4_1                                 | PW  | PROC4  | 480 min        | ERC8a |

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 10                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

### Personal protective equipment

Eye protection (EN ISO 16321) : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321)

Hand protection (EN ISO 374)

Remarks : No special requirements under normal use conditions

Skin and body protection (EN 14605) : Wear as appropriate:  
Safety shoes  
Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection (EN 136, EN 143, EN 14387) : No personal respiratory protective equipment normally required.

Protective measures : No special requirements under normal use conditions

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Undiluted product:

Appearance : liquid

Color : white

Odor : Herbal

Odor Threshold : No data available

pH : 8,60  
Method: ISO 4316

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 11                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

Flammability :  
 Upper explosion limit / Upper flammability limit : No data available  
 Lower explosion limit / Lower flammability limit : No data available  
 Vapor pressure : No data available  
 Relative vapor density : No data available  
 Relative density : No data available  
 Density : 1,0090 g/cm<sup>3</sup>  
 Solubility(ies)  
     Water solubility : completely soluble  
     Solubility in other solvents : No data available  
 Partition coefficient: n-octanol/water : No data available  
 Decomposition temperature : No data available  
 Viscosity  
     Viscosity, dynamic : No data available  
     Viscosity, kinematic : No data available  
 Explosive properties : Not explosive, based on substance properties.  
 Oxidizing properties : Not oxidative based on substance properties

## 9.2 Other information

Surface tension : OECD 115, Not relevant for classification of this product.  
 Particle size : No data available  
 Particle Size Distribution : No data available  
 Self-ignition : No data available

### Diluted product:

pH : 7,5

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 12                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.  
No hazards to be specially mentioned.  
Product will not undergo hazardous polymerization.

### 10.4 Conditions to avoid

Conditions to avoid : No data available

### 10.5 Incompatible materials

Materials to avoid : None known under normal use conditions

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified due to lack of data.

#### Components:

##### Sulfonic acids, C10-18-alkane, sodium salts:

Acute oral toxicity : LD50 Oral (Rat, male and female): 500 - 2.000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute dermal toxicity : LD50 Dermal (Mouse, female): > 2.000 mg/kg  
Method: other  
GLP: no

##### Sulfonic acids, C14-17-sec-alkane, sodium salts:

Acute oral toxicity : LD50 (Rat): > 500 - 2.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Mouse): > 5.000 mg/kg  
Remarks: Weight of evidence

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 13                  |
| SAFETY DATA SHEET                                                                 | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

#### Alkyl alcohol alkoxyate:

Acute oral toxicity : LD50 (Rat): 1.000 mg/kg

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat): 450 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 0,21 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

#### mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute oral toxicity : LD50 (Rat): > 66 mg/kg

Acute inhalation toxicity : LC 50 (Rat): 0,33 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Aerosol

Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit): 92,4 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Components:

##### Sulfonic acids, C10-18-alkane, sodium salts:

Species : Rabbit  
Exposure time : 4 h  
Method : OECD Test Guideline 404  
Result : Irritating to skin.  
GLP : yes

##### Sulfonic acids, C14-17-sec-alkane, sodium salts:

Result : Skin irritation

#### Alkyl alcohol alkoxyate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 14                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

**1,2-benzisothiazol-3(2H)-one:**

Result : Irritating to skin

Remarks : May cause skin irritation and/or dermatitis.

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Species : Rabbit

Result : Corrosive to skin

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks : Unlikely to cause eye irritation or injury.

**Components:**

**Sulfonic acids, C10-18-alkane, sodium salts:**

Species : Rabbit

Exposure time : 24 h

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

GLP : yes

**Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Method : OECD Test Guideline 405

Result : Risk of serious damage to eyes.

**Alkyl alcohol alkoxylate:**

Species : Rabbit

Method : OECD Test Guideline 405

Result : Eye irritation

**1,2-benzisothiazol-3(2H)-one:**

Result : Corrosive to eyes

Remarks : May cause irreversible eye damage.

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Species : Rabbit

Result : Corrosive to eyes

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 15                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

## Respiratory or skin sensitization

### Skin sensitization

Not classified due to lack of data.

### Respiratory sensitization

Not classified due to lack of data.

### Components:

#### Sulfonic acids, C10-18-alkane, sodium salts:

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Not a skin sensitizer.  
GLP : no

#### Sulfonic acids, C14-17-sec-alkane, sodium salts:

Test Type : Maximization Test  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.  
Remarks : Read-across (Analogy)

#### 1,2-benzisothiazol-3(2H)-one:

Result : The product is a skin sensitizer, sub-category 1A.

#### mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Result : Probability or evidence of high skin sensitization rate in humans

### Germ cell mutagenicity

Not classified due to lack of data.

### Components:

#### Sulfonic acids, C14-17-sec-alkane, sodium salts:

Genotoxicity in vitro : Result: In vitro tests did not show mutagenic effects  
Genotoxicity in vivo : Result: In vivo tests did not show mutagenic effects  
Germ cell mutagenicity-Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### Alkyl alcohol alkoxylate:

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 16                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

#### **Carcinogenicity**

Not classified due to lack of data.

#### **Components:**

##### **Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

##### **Alkyl alcohol alkoxylate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **Reproductive toxicity**

Not classified due to lack of data.

#### **Components:**

##### **Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Reproductive toxicity - Assessment : No toxicity to reproduction

##### **Alkyl alcohol alkoxylate:**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **STOT-single exposure**

Not classified due to lack of data.

#### **STOT-repeated exposure**

Not classified due to lack of data.

#### **Repeated dose toxicity**

#### **Components:**

##### **Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Species : Rat  
NOAEL : > 4000 mg/kg bw/day  
Application Route : Oral

Species : Rat  
NOAEL : 200 mg/kg bw/day  
Application Route : Oral

##### **Alkyl alcohol alkoxylate:**

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 17                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

NOAEL : 50  
 Application Route : Oral  
 Symptoms : No adverse effects.

#### Aspiration toxicity

Not classified due to lack of data.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f), at levels of 0.1% or higher.

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f), at levels of 0.1% or higher.

#### Further information

##### Product:

Remarks : No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **Sulfonic acids, C10-18-alkane, sodium salts:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8,4 mg/l  
 End point: mortality  
 Exposure time: 96 h  
 Test Type: flow-through test  
 Method: Regulation (EC) No. 440/2008, Annex, C.1  
 GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9,8 mg/l  
 End point: Immobilization  
 Exposure time: 48 h  
 Test Type: static test  
 Analytical monitoring: yes

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 18                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth inhibition  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : NOEC (Pseudomonas putida): 1.000 mg/l  
Exposure time: 16 h  
Test Type: Static  
Method: DIN 38 412 Part 8  
GLP: no

Toxicity to fish (Chronic toxicity) : NOEC: 0,85 mg/l  
End point: mortality  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OECD Test Guideline 204  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1 mg/l  
End point: reproduction rate  
Exposure time: 22 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

#### **Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus (Water flea)): 9,81 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 61 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 19                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : NOEC (Pseudomonas sp.): 600 mg/l  
Exposure time: 16 h  
Method: DIN 38 412 Part 8

Toxicity to fish (Chronic toxicity) : NOEC: 0,85 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,36 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 202

Toxicity to soil dwelling organisms : NOEC: 470 mg/kg  
Exposure time: 56 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 222

#### Alkyl alcohol alkoxyolate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna Straus (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h

Toxicity to microorganisms : EC10 (activated sludge): > 1.000 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 202

#### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3,4 mg/l  
Exposure time: 96 h  
  
LC50 (Oncorhynchus mykiss (rainbow trout)): 1,3 - 1,6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 1,5 - 3,3 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Algae, algal mat (Algae)): 0,15 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 20                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

toxicity)

M-Factor (Chronic aquatic toxicity) : 1

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l  
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,28 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,16 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,027 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 (activated sludge): 4,5 mg/l  
Test Type: Respiration inhibition

M-Factor (Chronic aquatic toxicity) : 100

## 12.2 Persistence and degradability

**Product**Biodegradability : This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

### Components:

#### **Sulfonic acids, C10-18-alkane, sodium salts:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Concentration: 103 mg/l  
Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: no

#### **Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable.

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 21                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

Biodegradation: 9 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

**Alkyl alcohol alkoxylate:**

Biodegradability : Test Type: aerobic  
Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Biodegradation: ca. 90 %  
Exposure time: 28 d  
Method: OECD Test Guideline 302B

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Biodegradability : Biodegradation: 30 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: Not readily biodegradable.

### 12.3 Bioaccumulative potential

**Components:**

**Sulfonic acids, C10-18-alkane, sodium salts:**

Bioaccumulation : Method: Not reported

Partition coefficient: n-octanol/water : Pow: 0,2 (20 °C)

**Sulfonic acids, C14-17-sec-alkane, sodium salts:**

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 0,2 (20 °C)

**1,2-benzisothiazol-3(2H)-one:**

Partition coefficient: n-octanol/water : log Pow: 0,4

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 22                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

**mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no.247- 500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):**

Partition coefficient: n-octanol/water : log Pow: <= 0,71  
Method: OECD Test Guideline 117

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

##### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

##### Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f) at levels of 0.1% or higher.

No data available

#### 12.7 Other adverse effects

##### Product:

Additional ecological information : No data available

##### Components:

##### **1,2-benzisothiazol-3(2H)-one:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 23                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14: Transport information

### 14.1 UN number or ID number

**ADR:** Not dangerous goods

**ADN:** Not dangerous goods

**RID:** Not dangerous goods

**IMDG-Code:** Not dangerous goods

**IATA-DGR:** Not dangerous goods

### 14.2 UN proper shipping name

**ADR:** Not dangerous goods

**ADN:** Not dangerous goods

**RID:** Not dangerous goods

**IMDG-Code:** Not dangerous goods

**IATA-DGR:** Not dangerous goods

### 14.3 Transport hazard class(es)

**ADR:** Not dangerous goods

**ADN:** Not dangerous goods

**RID:** Not dangerous goods

**IMDG-Code:** Not dangerous goods

**IATA-DGR:** Not dangerous goods

### 14.4 Packing group

**ADR:** Not dangerous goods

**ADN:** Not dangerous goods

**RID:** Not dangerous goods

**IMDG-Code:** Not dangerous goods

**IATA-DGR:** Not dangerous goods

### 14.5 Environmental hazards

**ADR:** Not applicable

**ADN:** Not applicable

**RID:** Not applicable

**IMDG-Code:** Not applicable

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 24                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

**IATA-DGR:** Not applicable

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of substances subject to authorisation : Not applicable  
(Annex XIV)

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

Regulation (EC) No. 648/2004, as amended : less than 5 %: Anionic surfactants, Non-ionic surfactants, Soap  
Other constituents: Perfumes  
Preservation agents:  
PHENOXYETHANOL  
BENZISOTHIAZOLINONE  
Sodium Pyrithione  
2-BROMO-2-NITROPROPANE-1,3-DIOL  
Methylchloroisothiazolinone, Methylisothiazolinone

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 25                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

#### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

Regulation (EC) No. 648/2004 - Detergents regulation

#### Ingredients which must be listed on the label

1,2-Benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE)  
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EINECS 247-500-7) and 2-methyl-2H-isothiazol-3-one (EINECS 220-239-6) (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone)  
Contains: preservative.

#### The ingredients of this product are reported in the following inventories:

|         |                                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------------------|
| TCSI    | : Not in compliance with the inventory                                                                           |
| TSCA    | : Product contains substance(s) not listed on TSCA inventory.                                                    |
| AIIC    | : Not in compliance with the inventory                                                                           |
| CA. DSL | : This product contains one or more components that are not on the Canadian DSL and have annual quantity limits. |
| ENCS    | : Not in compliance with the inventory                                                                           |
| KECI    | : Not in compliance with the inventory                                                                           |
| PICCS   | : Not in compliance with the inventory                                                                           |
| IECSC   | : Not in compliance with the inventory                                                                           |

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture.

### SECTION 16: Other information

#### Further information

Revision Date: 29.05.2026

**Classification of the mixture:**

**Classification procedure:**

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 26                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE                                                         | Version: 1.0              |
| 9292426                                                                           |                           |

Eye Irrit. 2

H319

Calculation method

#### Full text of H-Statements

|      |                                                         |
|------|---------------------------------------------------------|
| H301 | : Toxic if swallowed.                                   |
| H302 | : Harmful if swallowed.                                 |
| H310 | : Fatal in contact with skin.                           |
| H314 | : Causes severe skin burns and eye damage.              |
| H315 | : Causes skin irritation.                               |
| H317 | : May cause an allergic skin reaction.                  |
| H318 | : Causes serious eye damage.                            |
| H319 | : Causes serious eye irritation.                        |
| H330 | : Fatal if inhaled.                                     |
| H400 | : Very toxic to aquatic life.                           |
| H410 | : Very toxic to aquatic life with long lasting effects. |
| H412 | : Harmful to aquatic life with long lasting effects.    |

#### Full text of other abbreviations

|                 |                                      |
|-----------------|--------------------------------------|
| Acute Tox.      | : Acute toxicity                     |
| Aquatic Acute   | : Short-term (acute) aquatic hazard  |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Dam.        | : Serious eye damage                 |
| Eye Irrit.      | : Eye irritation                     |
| Skin Corr.      | : Skin corrosion                     |
| Skin Irrit.     | : Skin irritation                    |
| Skin Sens.      | : Skin sensitization                 |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship;

|                                                                                   |                           |
|-----------------------------------------------------------------------------------|---------------------------|
|  | Page: 27                  |
| <b>SAFETY DATA SHEET</b>                                                          | Revision Date: 29.05.2026 |
|                                                                                   | Print Date: 29.05.2026    |
|                                                                                   | SDS Number: R1937925      |
| TASKI JONTEC COMBI & CARE<br>9292426                                              | Version: 1.0              |

REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

GB / EN