

	Page: 1
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: CREW BATHROOM CLEANER & SCALE REMOVER
Product code	: 93172650
Company	: Diversey Australia Pty Ltd 1612 Centre Road, Springvale, VIC 3171 Australia
E-mail address	: HazardCommunication@solenis.com
Telephone	: 1800 647 779 (toll free)
	Product information: Email: aucustserv@solenis.com Website: products.solenis.com/en-AU
Emergency telephone	: Seek medical advice (show the label or safety data sheet where possible), Call 1800 033 111 (24hrs)
Website	: Diversey.com
Use of the Substance/Mixture	: Hard surface cleaner, Restroom/bathroom cleaner
Recommended restrictions on use	: For professional use only

SECTION 2. HAZARDS IDENTIFICATION

Classification for the undiluted product

GHS Classification

Skin corrosion/irritation	: Category 2
Serious eye damage/eye irritation	: Category 1
Skin sensitization	: Category 1
Short-term (acute) aquatic hazard	: Category 3

	Page: 2
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

GHS label elements

Hazard pictograms :



Signal Word :

Danger

Hazard Statements :

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H402 Harmful to aquatic life.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Classification for the diluted product

5.6 % V/V

GHS Classification

Not a hazardous substance or mixture.

GHS Label elements, including precautionary statements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

	Page: 3
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts	85480-57-5	>= 10 -< 20
Ethoxylated alcohols (C10-16)	68002-97-1	>= 3 -< 10
benzyl alcohol	100-51-6	>= 1 -< 10
Citric Acid	77-92-9	>= 1 -< 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on clothes, remove clothes.
Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

	Page: 4
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

In case of eye contact	: Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Clean mouth with water and drink afterwards plenty of water. Take victim immediately to hospital. Obtain medical attention. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.
Notes to physician	: Treat symptomatically. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray Foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing	: High volume water jet

	Page: 5
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

media

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Product is compatible with standard fire-fighting agents.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

	Page: 6
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : To avoid spills during handling keep bottle on a metal tray.
Do not breathe vapors/dust.
Do not smoke.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.
- Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
- Hygiene measures : When using do not smoke.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.
- General industrial hygiene practice.
No special requirements under normal use conditions
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Undiluted product:

	Page: 7
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section. Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Protective measures : No special requirements under normal use conditions

Personal protective equipment

Hand protection

Remarks : Wear resistant gloves (consult your safety equipment supplier). Discard gloves that show tears, pinholes, or signs of wear. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary
Repeated or prolonged contact:
Chemical-resistant protective gloves (AS/NZS 2161.10). Verify the instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber
Penetration time: > = 480 min
Material thickness: > = 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber
Penetration time: > = 30 min
Material thickness: > = 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Protective measures : No special requirements under normal use conditions

Eye protection : Wear face-shield and protective suit for abnormal processing problems.
Eye wash bottle with pure water

	Page: 8
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

Tightly fitting safety goggles

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Safety shoes
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Diluted product:

Maximum recommended use concentration (% w/w): 5.6 %

Appropriate engineering controls : General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : No special requirements under normal use conditions

Hand protection

Remarks : No special requirements under normal use conditions

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection : Wear as appropriate:
 Safety shoes
 Wear resistant gloves (consult your safety equipment supplier).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Undiluted product:

Appearance : liquid

Color : dark, purple

	Page: 9
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

Odor : Surfactant

 Odor Threshold : No data available

 pH : 4.41
 Method: ISO 4316

 Melting point/freezing point : No data available

 Boiling point/boiling range : No data available

 Flash point : > 93.4 °C

 Evaporation rate : No data available
 Flammability (solid, gas) : No data available
 Self-ignition : No data available
 Upper explosion limit / Upper flammability limit : No data available
 Lower explosion limit / Lower flammability limit : No data available
 Vapor pressure : No data available
 Relative vapor density : No data available
 Relative density : No data available
 Density : 1.0670 g/cm³
 Solubility(ies)
 Water solubility : completely soluble
 Solubility in other solvents : No data available
 Partition coefficient: n-octanol/water : No data available
 Decomposition temperature : No data available
 Viscosity
 Viscosity, dynamic : No data available

	Page: 10
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

Viscosity, kinematic : 30.370 mm²/s
 Oxidizing properties : No data available
 Particle characteristics
 Particle size : No data available
 Particle Size Distribution : No data available

Diluted product:

pH : 5

Flash point : > 93.4 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No reactivity hazards known under normal storage and use conditions
 Chemical stability : Stable under recommended storage conditions.
 Possibility of hazardous reactions : Stable under recommended storage conditions.
 No hazards to be specially mentioned.
 Product will not undergo hazardous polymerization.
 Conditions to avoid : No data available
 Incompatible materials : Keep away from products containing chlorine-based bleaching agents or sulphites
 Hazardous decomposition products : None known under normal storage and use conditions

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Acute oral toxicity : LD50 (Rat): 1,080 mg/kg
 Method: OECD Test Guideline 401

	Page: 11
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

Ethoxylated alcohols (C10-16):

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: no

benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC 50 (Rat): > 5,400 mg/m3
Exposure time: 4 h
Test atmosphere: gas
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Citric Acid:

Acute oral toxicity : LD50 (Mouse): 5,040 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Slightly irritating to skin

	Page: 12
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

Citric Acid:

Result : Slightly irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Ethoxylated alcohols (C10-16):

Result : Risk of serious damage to eyes.

benzyl alcohol:

Result : Eye irritation

Citric Acid:

Result : Severely irritating to eyes

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Product:

Remarks : Causes sensitization.
May cause allergic skin reaction.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

	Page: 13
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

benzyl alcohol:

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ cell mutagen.
Assessment

Carcinogenicity

Not classified due to lack of data.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Reproductive toxicity

Not classified due to lack of data.

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Reproductive toxicity - : No toxicity to reproduction
Assessment

STOT-single exposure

Not classified due to lack of data.

Components:

Citric Acid:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

NOAEL : 85

	Page: 14
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

Application Route : Oral
Symptoms : No adverse effects.

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Toxicity to fish : LC50: 3 mg/l
Exposure time: 96 h

Ethoxylated alcohols (C10-16):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 1 - 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to fish (Chronic toxicity) : LC 50: < 100 mg/l
Exposure time: 96 hrs

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
End point: EC 50

	Page: 15
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER	Version: 1.0
93172650	

Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Persistence and degradability

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: > 89 %
Exposure time: 29 d
Method: OECD Test Guideline 301B
Remarks: Weight of evidence

benzyl alcohol:

Biodegradability : Result: Readily biodegradable.

Citric Acid:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., potassium salts:

Partition coefficient: n-octanol/water : log Pow: 3.598 (23.2 °C)
pH: 7
Method: OECD Test Guideline 107

benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.10

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological : An environmental hazard cannot be excluded in the event of

	Page: 16
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

information

unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : Send to a licensed waste management company.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
- Dispose of in accordance with local regulations.
- Do not contaminate ponds, waterways or ditches with chemical or used container.
- Dispose of in accordance with local regulations.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
- Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ADG

Not regulated as a dangerous good

	Page: 17
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The ingredients of this product are reported in the following inventories:

TW TCSI : On the inventory, or in compliance with the inventory

US TSCA : All substances listed as active on the TSCA inventory

AU AIIC : On the inventory, or in compliance with the inventory

CA. DSL : All components of this product are on the Canadian DSL

JP ENCS : Not in compliance with the inventory

KR KECI : Not in compliance with the inventory

PH PICCS : Not in compliance with the inventory

CN IECSC : Not in compliance with the inventory

NZIOC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Date format : dd.mm.yyyy

	Page: 18
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

Revision Date : 25.08.2026

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); LSPN - List of Hazardous Notified Substances (Chile); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

	Page: 19
SAFETY DATA SHEET	Revision Date: 25.08.2026
	Print Date: 31.08.2026
	SDS Number: R1933153
CREW BATHROOM CLEANER & SCALE REMOVER 93172650	Version: 1.0

not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

AU / EN